


PRODUCT DISPLAY




PRODUCT SIZE





PRODUCT DETAILS





*Large transformer:
IE6636 transformer,
pure copper cable,
the performance of
output voltage stability.*



Rated working conditions

voltage	220v $\pm$ 10%
working environment	-10 °C ~ 40 °C Relative humidity: <90%
Storage environment	-20 °C ~ 40 °C Relative humidity: <80%
Corrugated factor	$\leq 0.5\text{mvrs}$ (5Hz-1MHz) $I_{\text{max}} > 1\text{A}$
Features	Short circuit protection / overload protection / alarm function / automatic recovery

Regulated working conditions

Power stability	$\leq 0.01\% + 2\text{mV}$
Load stability	$\leq 0.01\% + 2\text{mV}$ ($I_{\text{max}} < 1\text{A}$)
Recovery Time	$\leq 100\mu\text{s}$ (maximum current $\leq 5\text{A}$)

Specifications

model	PS-1505T	
Body weight	3.2KG	
Dimensions	140MM*225MM*200MM	
Voltage and current	0-15V/0-5A	
Features	Short circuit protection, automatic recovery, voltage test	
Overload protection current	2A	
Voltage display accuracy	0.1V	
Current display accuracy	0.01MA	
Short circuit and overload protection alarm function	Have	

PRODUCT PACKAGING



01: Mainframe maintenance power + power cord

03: Chinese and English manual

02: 5A clip line

04: BEST brand packaging