

BST-936B Stazione di saldatura senza piombo con sfera per saldatore

# LEAD-FREE ANTISTATIC SOLDERING STATION



Lead-free



Exact temperature




Heat up quickly



Use safety

# Product Usage



model	<b>936B</b>
Dimensions	114 * 140 * 77mm
Power consumption	60W
Body weight	1.95KG
High temperature resistant wire	Have
Input power voltage	220VAC $\pm$ 10% 50 / 60HZ
Temperature control range	200-480 °C / 392 °F-896 °F
The output voltage	24VAC
Setting method	Knob adjustment
Welding tip to ground impedance	<2 $\Omega$
Welding nozzle to ground voltage	< 5mV
Temperature stability of soldering iron	$\pm$ 1 °C
Heater	Imported ceramic heating element
Soldering iron	M-T-I mouth

### ▼ CHARACTERISTICS

The soldering station has an anti-static design, which effectively protects SMD components and is powered by a low-voltage power supply. It can effectively protect the safety of sensitive devices and workers, smooth soldering and stable temperature.

## PRODUCT INFORMATION



High temperature resistant PVC shell


Non-slip thermal insulation silicone protective sleeve


## PRODUCT INFORMATION



High temperature resistant PVC shell

Non-slip thermal insulation silicone protective sleeve





Soldering iron stand Radiator

Soldering iron handle

Fever indicator


switch

Temperature adjustment knob

High temperature resistant sponge

Electric soldering iron interface

Temperature calibration



Soldering iron stand Radiator

Soldering iron handle

Fever indicator

switch

Temperature adjustment knob

High temperature resistant sponge

Electric soldering iron interface

Temperature calibration





positive



side




bottom



back

Heat up quickly  
Easy soldering





## BESTOOL



Patch soldering  
solder joints are sturdy



Large transformer  
power is bigger  
fast speed




Imported ceramic heating core  
high temperature resistance and long life

## OTHER SUPPLIERS



Jack welding  
solder joints are easy to loose  
machine failure frequency is high




Small transformer  
low power  
slow output



Inferior heating core  
short life

# Product List



Soldering iron stand



BST-936B main unit



Soldering iron handle



Manual

G.W.:1.95KG

