


## Descrizione del prodotto

1	Semplifica i lavori di riparazione.
2	Resistenza alle alte temperature di 500 ° C, non tossico.
3	Intrappolamento termico, antiscivolo, miglioramento della produttività.
4	Numerose posizioni dei fori per fissare viti, chip IC e piccole parti.
5	Un buon partner per lo strumento ad aria calda, utilizzato per riparare telefoni cellulari, tablet, computer.
6	Questo è un tampone isolante in silicone, può tamponare con acqua di pulizia diluente / PCB, termostabile, anticorrosivo.
7	Per piattaforma di manutenzione, per stazioni di saldatura, per macchina di laminazione, per macchina di rimozione bolle

## specificazione

Nuovo	Nuovo arrivo
Colore	Blu
Materiale	Gel di silice
Taglia del prodotto	circa 45 m * 30 * 0,7 cm
Pacchetto	scatola dei colori
genere	Cuscinetto per isolamento termico
uso	Piattaforma di manutenzione

# HIGH TEMPERATURE RESISTANT SILICA GEL WORKING PAD



Heat resistance



Soft silicone




Magnet adsorption



anti-static

## Product Usage



MATERIAL	Soft silicone
BRAND	BESTOOL
PRODUCT NAME	Working Pad
SIZE	450mm X 300mm
TYPE	Magnetic adsorption Heat resistance anti-static

### ▼ CHARACTERISTICS


This product is used for IC products repairing (suitable for some models). It is made of high-quality silicone insulation for high temperature resistance. With 4.0mm thickness, it has several card slots for placing various tools. The storage groove has magnetic adsorption, where small screws can be placed to prevent loss.

---

## HIGH QUALITY SILICA GEL

### SOFTNESS AND HIGH ELASTICITY

GOOD PRODUCTS ARE MORE THAN JUST  
EXCELLENT CRAFTSMANSHIP,  
BUT THE REAL CORE IS  
SELECTION OF EXQUISITE MATERIALS.



it is designed for placing motherboard,  
very stable to hold the motherboard, makes the operation more convenient.



Magnetic adsorption




Heat resistance



- ① SCREWDRIVER HEAD STORAGE
- ② COVER STORAGE BOX
- ③ SCREWS PLUS MAGNETIC ZONE
- ④ SCREW POSITION
- ⑤ MOTHERBOARD GROOVE
- ⑥ SCREWDRIVER PLACEMENT AREA
- ⑦ TOOL PLACEMENT AREA
- ⑧ MEASURING RULER

# PRODUCT SIZE



Thin to 4.00mm

It can resist 500°C high temperature

