

tura:

- 2 in 1 display digitale ad aria calda con stazione di saldatura senza piombo
- Controllo della temperatura 100 ° c-480 ° c
- Soffiante senza spazzole e flusso d'aria morbido
- prezzo di fabbrica
- Accetta il piccolo ordine e l'ordine OEM

Uso:

1. Adatto per dissaldare più componenti, come SOIC, CHIP, QFP, PLCC e BGA ecc
2. Applicabile per restringimento, riscaldamento, depainting, scongelamento, preheating e saldatura di gomma ecc.

Specifica:

Modello 878D

Tensione nominale AC110V / 220V 50Hz / 60Hz

Potenza assorbita 700W / 40w

Tipo di aria Ventilatore senza spazzole / flusso d'aria morbido

Intervallo di temperatura 100 ° c-480 ° c

Portata d'aria volume 120 l / min (max)

dimensione del pacchetto interno (cm) 26 * 16.5 * 15

Qty / 8units cartone

G.W / cartone (kg) 22

dimensione del cartone (cm) 58 * 37 * 34

2 in 1 digital display lead-free helical wind hot air soldering station

Appliance Repair



Board soldering



Phone Repair




Heat shrinkable tube



PRODUCT SIZE







PRODUCT FEATURES




Brand:			Name:	2 in 1 digital heat gun rework station	
Model:	BST-878D		Rated voltage:	AC 110/220V 50/60HZ	
Rated power:	700W/40W		Airflow:	120L/min (Max)	
Air gun temperature range:			100 ° C - 480 ° C		
Soldering iron temperature range:			200 ° C - 480 ° C		
Weight(including packaging):		2.65KG	Size:	Packing:	L265*W170*H145mm
				Machine:	L98*W140*H132mm
Accessories:	878D, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter				
Features:	1. LED temperature display, temperature is accurate and stable, clearly visible				
	2. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly.				
	3. High power, fast heating, anti-static, temperature adjustable				

Rapid temperature rise
durable Intelligent, put back on the
bracket to automatically cool down



Pure copper transformer



PRODUCT PACKAGING



Package:
265*170*145mm



BST-878D



Power cable



Soldering Iron frame



Soldering Iron

Starter



Wrench



Wind gun nozzle 5, 8, 10mm