

Descrizione del prodotto

Modello: BST-9909

Tipo di testa: 1,5, □ 0.8, y0.6;

Coppia regolabile;

Impugnatura anti -slittamento;

Bit sostituibili;

L'intervallo di coppia è 0,35-0,55 kgf.cm

1 corrisponde a 0,35 kgf.cm

5 corrisponde a 0,55 kgf.cm

Imballaggio □

Gestione * 1pc

Bit di cacciavite: 1,5, □ 0.8, y0.6;

Magnetismo*1pc

Adjustable Torque Screwdriver Set

BST-9909



Precision Screwdriver Handle

Product display



Noise reduction bearing



Aluminium alloy

Anti-skid texture



Embossed antiskid design

Anti-slip aluminum handle for comfort holding



Adjustable Torque

When the torque exceeds The Pre-set Value, the handle will emit a prompt sound and automatically idle to prevent excessive force from damaging the screw or your phone



0.35Kgf  0.55Kgf

Adjustable Torque Range

360° Rotation Cover

Built-in bearing of head cover, better concentricity, smoother rotation and more labor-saving operation





Adjustable Torque



No Damage



High Hardness



S2 Steel



Magnetic



Anti Slip Carving

Model	BST-9909	Bit Magnetism	With magnetism
Type	Adjustable torque	Contains	Handle*1+Bits*3
Torque Range	0.35-0.55kgf.cm		+Magnetizer*1
Handle Size	34*121mm	Package Size	130*70*20mm
Bits Material	S2	N. W.	45g
Handle Material	Aluminum alloy	G. W.	65g

Bits Size	H4mm×40mm
	⊕ 1.5 ★ 0.8 ♻ 0.6

Package Size



Ideale per:

Riparazioni per iPhone/MacBook · Watchmaking · PCB Rework · Drone
Manutence · Medical Device Techs

#BesTools #TorQuesCrewDriver #ElectronicSrepair #PhonerePair
#PrecisionTools #BST-9909