

Features

1. Le pinze da taglio diagonali sono realizzate in acciaio Cr-V, possono essere utilizzate per lavori pesanti.
2. Taglienti di precisione temprati ad alta frequenza, durezza HRC54-62
3. Manico in PVC bicolore con protezioni per le dita
4. Dimensioni 4,5''
5. Soddisfa o supera gli standard CE

Specification

Modello: BEST-4 pinze da taglio diagonali

Materiale: Rivestimento in acciaio Cr-V + manico in PVC

Tattamento termico: Nessun acidificazione
42-50HRC per il corpo
Alta frequenza 54-62 HRc per lama

Tattamento della superficie: olio antiruggine

Dimensione: 135 millimetri

Pacchetto: 12pcs / box

N.W. 101g / pc

G.W .: 1.42kg / scatola

Application

Le pinze da taglio diagonali sono comunemente usate per tagliare diversi tipi di filo sottile, filo di piombo, filo morbido, circuito stampato, materiale residuo di plastica, come

- Cablaggio della scatola di controllo del robot industriale.
- Circuiti stampati e cablaggi per computer stampati IC
- Elettrodomestici.
- Radio e altri collegamenti telefonici e Telegram.
- Circuito elettrico dell'automobile.
- Altri cablaggi di precisione per articoli D.I.Y.

PRODUCT DISPLAY



PRODUCT SIZE

Material:high quality alloy steel(60CR-V)

Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire $\Phi 1.5\text{mm}$

soft copper wire,aluminum wire $\Phi 0.1-2.0\text{mm}$





PRODUCT DETAILS



Front



Back side



User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING


WEIGHT:82G



180MM

FRONT

75MM



BACK