

## Features

Materiale: lama in acciaio Cr-v e manico in PVC  
Finitura: lucido, nero, cromato, Macchia, nichel aloy  
Maniglia: Grip in PVC / TPR monocoloro

## Specification

Modello:	Taglia-ferro BEST-21
Materiale:	Rivestimento in acciaio Cr-V + manico in PVC
Trattamento termico:	Nessun acidificazione 42-50HRC per il corpo Alta frequenza 54-62 HRC per lama
Trattamento della superficie:	olio antiruggine
Dimensione:	135 millimetri
Pacchetto:	12pcs / box
N.W.	101g / pc
G.W .:	1.42kg / scatola

## PRODUCT DISPLAY



## PRODUCT SIZE

**Name:** Diagonal cutting pliers

**Model:** BST-21

**Material:** 60CR-V

**Brand:** BEST

**Hardness:** HRC38-42

**Blade Hardness:** HRC56-62


**Size:** 125mm

**Weight:** 100g

**Range:** HRC20

**below:** hard wire  $\Phi$ 1.5mm, copper wire  
or aluminum wire  $\Phi$ 0.1-2.0mm

**Process:** using repeated forging,  
the surface is polished after grinding  
and processing by precision machining.



## PRODUCT DETAILS

---



### **Cutting range**

- ✓ HRC20 below: hard wire $\Phi$ 1.5mm, copper wire or aluminum wire $\Phi$ 0.1-2.0mm
- ✓ Made of high quality alloy steel CR-V
- ✓ For family, electronic maintenance, manufacturing and other industries

PRODUCT PHOTOGRAPH



## User manual



### Warning

This model is not insulated tools. Please use it when power off.



### Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.


PRODUCT PACKAGING

WEIGHT:98G



180mm

FRONT



75mm

产品描述 FEATURE

使用材质：严格精选优质合金钢（60CR-V）  
 工艺：采用反复锻造工艺，精密机械加工后，表面  
 经机磨加工后抛光  
 产品硬度：整体硬度HRC38-42  
 刃口硬度HRC56-62  
 剪切能力：HRC20度以下  
 硬铁线  $\Phi$ 1.5mm  
 软铜线、铝线  $\Phi$ 0.1-2.0mm  
 Material: high quality alloy steel (60CR-V)  
 Process: using repeated forging, the surface is polished after  
 grinding and processing by precision machining.  
 Hardness: the overall hardness is HRC38-42  
 the blade hardness is HRC56-62  
 Shear capacity: HRC20 below  
 Hard wire  $\Phi$ 1.5mm  
 soft copper wire, aluminum wire  $\Phi$ 0.1-2.0mm

MADE IN CHINA

FRONT