




鋼質 鋼材種別 60CR-V
 鋼材種別 鋼材種別 鋼材種別 鋼材種別 鋼材種別 鋼材種別 鋼材種別 鋼材種別 鋼材種別 鋼材種別
 鋼質 HRC 38 42
 鋼質 HRC 56 62
 鋼質 HRC 20
 鋼質 1.5mm
 鋼質 0.1 2.0mm

PRODUCT DISPLAY



PRODUCT SIZE




PRODUCT DETAILS



Front



Back side



User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH



Range:
HRC20 below: hard wire ϕ 1.5mm, copper wire or aluminum wire ϕ 0.1-2.0mm.



PRODUCT PACKAGING

WEIGHT:87G



FRONT

179MM



BACK

75MM