

ture

2in1
100°C480°C
OEM

- 1. SOICCHIPQFPPLCCBGA
- 2.

878D
AC110V / 220V 50Hz / 60Hz
700W / 40W
100°C480°C
120L / min
cm26 * 16.5 * 15
8
G.W / kg22
cm58 * 37 * 34

2 in 1 digital display lead-free helical wind hot air soldering station

Appliance Repair



Board soldering



Phone Repair




Heat shrinkable tube



PRODUCT SIZE



PRODUCT DETAILS





PRODUCT FEATURES




Brand:			Name:	2 in 1 digital heat gun rework station	
Model:	BST-878D		Rated voltage:	AC 110/220V 50/60HZ	
Rated power:	700W/40W		Airflow:	120L/min (Max)	
Air gun temperature range:			100 ° C - 480 ° C		
Soldering iron temperature range:			200 ° C - 480 ° C		
Weight(including packaging):		2.65KG	Size:	Packing:	L265*W170*H145mm
				Machine:	L98*W140*H132mm
Accessories:	878D, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter				
Features:	1. LED temperature display, temperature is accurate and stable, clearly visible				
	2. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly.				
	3. High power, fast heating, anti-static, temperature adjustable				

Rapid temperature rise
durable Intelligent, put back on the
bracket to automatically cool down



100°C~480°C

Pure copper transformer



PRODUCT PACKAGING



Package:
265*170*145mm



BST-878D



Power cable



Soldering Iron frame



Soldering Iron

Starter



Wrench



Wind gun nozzle 5, 8, 10mm