



□□□□BST-9909

□□□□□□□1.5□□0.8□Y0.6;

□□□□□□□;

□□□□□□□□□□;

□□□□□□□;

□□□□□□**0.35-0.55kgf.cm**□□

1□0.35kgf.cm□□□□□□

5□0.55kgf.cm□□□□□□

□□□□□□

□□□□ * 1pc

□□□□□□□□1.5□□0.8□Y0.6;

□□*1pc

BST-9909



Precision Screwdriver Handle

Product display



Noise reduction bearing



Aluminium alloy

Anti-skid texture



Embossed antiskid design

Anti-slip aluminum handle for comfort holding



Adjustable Torque

When the torque exceeds The Pre-set Value, the handle will emit a prompt sound and automatically idle to prevent excessive force from damaging the screw or your phone



0.35Kgf ↔ 0.55Kgf

Adjustable Torque Range

360° Rotation Cover

Built-in bearing of head cover, better concentricity, smoother rotation and more labor-saving operation





Adjustable Torque



No Damage



High Hardness



S2 Steel



Magnetic



Anti Slip Carving

Model	BST-9909	Bit Magnetism	With magnetism
Type	Adjustable torque	Contains	Handle*1+Bits*3
Torque Range	0.35-0.55kgf.cm		+Magnetizer*1
Handle Size	34*121mm	Package Size	130*70*20mm
Bits Material	S2	N. W.	45g
Handle Material	Aluminum alloy	G. W.	65g

Bits Size	H4mm×40mm		
	⊕ 1.5	★ 0.8	⦿ 0.6

Package Size



□□□□

iPhone/MacBook□□□□□□□□PCB REWARK·DRONE□□□□□□□□□□□□□□

#besttools #torquescrewdriver #electronicsrepair #phonerepair #precisionTools
□BST-9909