

## Features

1. Cr-V
2. HRC54-62
3. 2 PVC
- 4.5
5. CE

## Specification

Model	BEST-4
Material	Cr-V + PVC
Hardness	42-50HRC 54-62HRC
Length	135mm
Width	12mm
N.W.	101g / pc
G.W. :	1.42kg /

## Application

- 
- IC
- 
- 
- 
- D.I.Y

PRODUCT DISPLAY

---



## PRODUCT SIZE

Material:high quality alloy steel(60CR-V)

Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire  $\Phi 1.5\text{mm}$

soft copper wire,aluminum wire  $\Phi 0.1-2.0\text{mm}$





## PRODUCT DETAILS



Front



Back side



### User manual

#### Warning

This model is not insulated tools. Please use it when power off.

#### Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH

---



PRODUCT PACKAGING


WEIGHT:82G



180MM

FRONT

75MM



BACK