

Features

- 1.符合ESD PPS
- 2.1×10Ω47J / m
- 3.
- 4. PCB

- 1.
  - 2.
  - 3.
  - 4.
- ESD

- 1. PPS
- 2.
- 3. 260°C
- 4. 200~240°C
- 5. PPS
- 6.

Specification

	BST-242
	+ PPS ESD
	> HRC40°
	124
	255
	17pcs
	520
	204 * 163 * 45L * W * H
	52 * 42 * 34L * W * H
	16.9

## Description



Catelogy	Tweezer (with interchangeable tip )	Model:	BST-242
Material:	Stainless steel, PPS antistatic plastic	Brand:	BEST
Magnetism:	Non	Strength:	>HRC40°
Size:	124mm	Weight:	25.9g
Feature1:	Head adopts anti-static PPS plastic		
Feature2:	Surface resistance $1 \times 10^8 \Omega$ , impact strength: 47j / m <sup>2</sup>		
Featuer3:	side polished handle, feel comfortable, easy to use		
Feature4:	Suitable for PCB semiconductor, photovoltaic and other		

## Size



Picture

Side



Side



Top



Top



Local



Pack



## Details



Using high-precision equipment,  
laser type



4 screw fix head, robust and easy  
replacement



Head use high-strength, anti-  
static PPS plastic

When two tip are folded,  
smooth seamless





# ABOUT US

Shenzhen Jinliyang Technology Co., Ltd is a professional large-scale manufacturer of Power bank and repairing tools for communication products.

With 20 years abundant experience in manufacturing and wholesale industry, we have set up subsidiary companies one by one in some cities in China and built up a complete sales network. Depending on quality products and the tenet of honesty and credit, we have established good long term cooperation with customers all over the world. Our brands "BEST" and "SUYOU" have been know abroad, and CE and Rohs certificates of our products are approval.

"Sincerity oriented and credibility Is the first" is our service tenet.

