

## Features

1. Cr-V
2. HRC54-62
3. 2 PVC
4. 5
5. CE

## Specification

	BEST-2D
	Cr-V+ PVC
	42-50HRC 54-62HRC
	108mm
	12/
N.W.	86.5g / pc
G.W .:	1.22kg /

## Application

IC  
D.I.Y

PRODUCT DISPLAY

---



## PRODUCT SIZE

**Name:** Diagonal cutting pliers

**Model:** BST-2D

**Material:** 60CR-V

**Brand:** BEST

**Hardness:** HRC38-42

**Blade Hardness:** HRC56-62


**Size:** 108mm

**Weight:** 86.5g

**Range:** HRC20

**below:** hard wire $\Phi$ 1.5mm,copper wire  
or aluminum wire $\Phi$ 0.1-2.0mm

**Process:** using repeated forging,  
the surface is polished after grinding  
and processing by precision machining.



## PRODUCT DETAILS

---



### ***Cutting range***

- HRC20 below: hard wire  $\Phi$ 1.5mm, copper wire or aluminum wire  $\Phi$ 0.1-2.0mm
- Made of high quality alloy steel CR-V
- For family, electronic maintenance, manufacturing and other industries

PRODUCT PHOTOGRAPH

---



## User manual



### Warning

This model is not insulated tools. Please use it when power off.



### Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.


PRODUCT PACKAGING

WEIGHT:89G



180mm

FRONT



FRONT