00: 00000000000000

□□□:BST-KB3

□□: 443g

00000: 20*7*8 0000000 0000000: 24*7*8.5cm

Heat-free screen removal clamp

. . .

Powerful suction cup | Safe screen removal | Does not damage the cable Does not damage the camera | Easy to operate



\equiv

Product features

0 0



High temperature resistance

Heat resistance



Anti-corrosion

Corrosion resistance



High quality steel

High quality steel



No limit to the model

Unlimited models

unbreakable

The strong suction cup is stable and will not fall off

The force is even, the security is stable and reliable, easy to absorb and not easy to fall off.



Trim fixing

Fine adjustment fixation does not damage the fuselage

The rotation screw can adjust the fixed distance, and the slot is firmly fixed without damaging the fuselage.



Quick screen removal

Heat-free quick screen removal

It is easy to change the screen without heating, easy to operate, two steps to dismantle the screen.








Soft fixation

Protect the phone softly and fix it


Soft fixation on the front and rear, detachable replacement to protect the phone and gently fix it



Detachable device

Detachable pull rod device

After disassembling the pull rod, it can be used as a clamp to disassemble the mobile phone clamp.



Tension design

Rotating screw tension design

Turn the screw to make the tension upward, and pull the suction cup up slowly to prevent damage to the screen



Groove design

Camera groove design

Groove design to prevent damage to the camera when removing the screen.



Product parameter

Product parameters



Product name: heat-free screen remover	The gross weight of the product:	484 grams
Brand: best basete	Product material:	Aluminum alloy
Product weight: 443 grams	Product model:	KB3

Product size: 20cm*7cm*8cm

Package size: 24cm*7cm*8.5cm