□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□BST-951-JP
□□□□□□□□□□ABS
□□□□:CAT III 2000V 20A
□□□85cm
□□: 73G
GW□88G

Precision testing

20A spring telescopic multimeter probe

Compatible with 99% of multimeters Soft silicone wire Accurate measurement Superconducting probe

Antifreeze and high temperature

Pure copper pen needle

Spring Design

Accuracy/High Sensitivity

Product Parameters

Whole box weight: 7.8kg
Full box size 42*29*25cm

Model	BST-951-JP	Core Material	Pure copper
Name	Spring type multimeter probe	Product Material	Pure copper+silicone+ABS
Probe Length	10mm	Net Weight	73g
Tip Diameter	0.05mm	Gross Weight	88g
Length	85 cm	Packaging Size	45x25x200mm

Test line parameters

Copper core conductor		insulation		Outer coat	
Specifications	18AWG	Average thickness	0.6mm	Average thickness	0.6mm
structure	168/0.08AS	Wire diameter	2.6±0.05mm	Wire diameter	3.8±0.1mm
Outer diameter of conductor	1.35MM				
Twist distance	25MM	texture of material	silicone	texture of material	silicone

Durable and tough

Pure copper pointer
Not easy to bend or rust

High-quality needles are durable and anti-oxidative




Accurately measure motherboard components
Needle tip/slender
Fast response, accurate data, special for electricians

High/low temperature resistant soft silicone wire

High-quality materials, anti-freezing and anti-burning, suitable for various operating environments

Low temperature can withstand -50 °C



Compatible with 99% market multimeters

Newly upgraded lotus plug

Firmer when plugging and unplugging, the sheath is dust-proof and insulated

Strong flexibility

Soft silicone wire material Anti breakage design

The tail connection adopts soft plastic injection molding process,
which is soft and not easy to break, and has strong tensile strength


The pointer can be replaced
Reduce maintenance costs and prioritize cost-effectiveness
The probe needle is interchangeable

Ergonomic Design

Anti slip handle

insulating materials, comfortable grip, customized for electronic repair

security level

2000V MAX/20A

99% multimeter available

Wide applicability



CURRENT AND VOLTAGE TEST

MOTHERBOARD TEST



ELECTRONIC COMPONENT MEASUREMENT

PRODUCTION DEMAND

AC TEST

LINE CONTINUITY TEST

Bold pure copper wire

High-quality materials cast good quality, copper wire is more accurate,

double-layer protective rubber sleeve



Product dimensions



Total length:85cm

Product packaging