

Features

1. DC

-
-
-
- LED

2. DC DC

3. DC

DC

Specification

	110V / 220V 10 50 / 60Hz ±
	0 60V
	0 2A
	0.1V
	0.01A
	±1 ±1
	±1 ±1
	≤1mVRMS RMS
	≤3mVRMS RMS
	LED
	4.185
	35.5 * 16.3 * 19
	51 * 47 * 41
	6
	26
	220V

Features



Product Name: DC Power Supply

Product Type:BST-A602D

Body weight: 4.185kg

Dimensions: 255*125*150mm

Features introduced

- 1.in the output full power of the state, work long hours;
- 2.Regulation, steady flow automatically switches;
- 3 Lower ripple voltage;
- 4 With freely selectable overcurrent protection mode, to adapt to a wider scope of use;
- 5 Has a continuously adjustable output overvoltage protection, the load has stronger protection ;



Picture

Positive



Side



Package





Current Display

Current display accuracy: 0.01A



Voltage display

Voltage display accuracy: 0.1V



**Current FINE / COARSE adjustment knob
Steady flow indicator**



**Voltage FINE / COARSE adjustment knob
Regulators indicator**



Power switch

After power on, press the switch is turned on to work,
close to stop working



Voltage Output

Red + / black - / yellow ground terminal for the output

