

Features

1. Be

2. 250-350°C. Otherwise

working. Then 3. Please

4. BEST inoxidizability about 5

Specification

900M-TB 900M-T-0.8D 900M-T-1.2D 900M-T-1.6D 900M-T-2.4D 900M-T1C
900M-T-2C 900M-T-3C 900M-T-4C 900M-TK 900M-TI 900M-T IS

Description




| | | | |
|------------------|---|-----------------------|-------------|
| Name: | Welding head | Model: | 900M-T-1.2D |
| Brands: | BEST | Specification: | 1.2D |
| Size: | 41mm | Weight: | 73.5g |
| Material: | Copper, iron, nickel and chromium | | |
| Feature1: | Oxygen-free copper material imported raw materials, thermal fast | | |
| Feature2: | Up and down the tin and smooth, stable performance after welding joints smooth, uniform | | |
| Feature3: | Take the tin and smooth, life over 70,000 solder joints | | |
| Feature4: | Overall use of special machinery and production process, the precise size | | |
| Feature5: | Electroplating using advanced nanotechnology, with superior corrosion, oxidation resistance | | |

Size

No. 900M-T-1.2D

D型



ABOUT US

Shenzhen Jinliyang Technology Co., Ltd is a professional large-scale manufacturer of Power bank and repairing tools for communication products.

With 20 years abundant experience in manufacturing and wholesale industry, we have set up subsidiary companies one by one in some cities in China and built up a complete sales network. Depending on quality products and the tenet of honesty and credit, we have established good long term cooperation with customers all over the world. Our brands "BEST" and "SUYOU" have been know abroad, and CE and Rohs certificates of our products are approval. "Sincerity oriented and credibility is the first" is our service tenet.

