

## Features

1. 100%
2. 100%
3. 100%
4. 100%
5. 100%

## Specification

8  
9  
0  
1  
2  
3  
4  
5  
6  
7  
8  
9  
A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y  
Z  
[  
\  
]  
^  
\_  
`  
{  
|  
}  
~  
`  
~





## Description



<b>Catelogy:</b>	Color coated Tweezer	<b>Model:</b>	BST-158A
<b>Material:</b>	202stainless steel	<b>Brand:</b>	BEST
<b>Magnetism:</b>	Non	<b>Strength:</b>	>HRC40°
<b>Size:</b>	117.4mm	<b>Weight:</b>	25.2g
<b>Feature1:</b>	Anti-magnetic,anti-acid,hard,excellent toughness		
<b>Feature2:</b>	Surface by fine polishing, plating color		
<b>Featuer3:</b>	Side handle is polished ,bright colors and easy to use		
<b>Feature4:</b>	Suitable for PCB semiconductor, photovoltaicand other		

Picture

Side



Side



Top



Top



Local



Pack



- BT006 SD-210 4mm (15mm)  
Avg. strain (120mm)
- BT008 SD-211 4mm (15mm)  
Economy fine tip straight (140mm)
- BT002 SD-212 4mm (15mm)  
Fine tip straight (150mm)
- BT008 SD-213 4mm (15mm)  
Super fine tip straight (120mm)
- BT041 SD-214 4mm (15mm)  
Super fine tip straight (120mm)
- BT095 SD-215 4mm (15mm)  
Fine tip curved (120mm)

**Precautions for use**

The tweezers are made of metal and have sharp tips. Do not misuse them. Handle them in any way that may cause injury or damage.

When using any electrical appliance, always be sure to first unplug the appliance in order to prevent electrical shock. Do not use the tweezers on applications which are beyond the tweezers' working limit. Doing so may break the tips of the tweezers.

## Description

Category:	Color coated Tweezer
Model:	BST-158A
Material:	202Stainless steel
Magnetism:	Non
Surface treatment:	Paint
Tip strength:	>HRC40°
Length:	117.4mm
Weight:	25.2g(with package)
Packing:	20pc/box
Weight/box:	584g
Size of box:	204*163*45 (L*W*H)
Size of carton:	500*340*430mm (L*W*H)
Quantity of carton:	840pcs
Weight of carton:	22.2kg