

■ ■ ■


□ Professional □□□, □□□□ □□ □ □□□ □□□ □□□ □□□ □□□
□ □ □□ □ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□□
□ □□ □□□ □□ □ □□ □□□ □□ □□□ □□□ □□□□□.
□ □□ □□□ □□□□ □□□□ □□□□.
□ □□ □□□ □□ □□□ □□□ HRC□ 52-56 □□ □□□ □□ - □□□ □ (6150 #)□□ □□□□□.

■ ■

□ □□ : BEST - 21068 □□ □□□ □□□ □□
□ □□ : Cr-V □ (6150 #) + ABS □□ □□
□ □□□ : □□□ □□□□ □□□ □□ □□□ □□□□□□□□□.
□ □□□□ : □
□ □□ : HRC52-56 °
□□ □□ :

□ Torx : T4, T5, T7, T8, T10, T15, T20
□ 16 □□ □□ : 1.0,1.5,2.0,2.5,3.0,3.5,4
□ TRI-WING : 1.5,2.0
□ □□□ Δ : 2.0,2.3
□ □ □□ □ : 1.5,2.0
□ □□□ Θ : 1.0
□ Pozi : PZ0, PZ1
□ M : 2.5,3.0,3.5,4.0,4.5,5.0,5.5
□ H : 2.3
□ □□ □ : 1.3,1.5,2.0,2.5,3.0,4.0
□ Phillips : PH00, PH0, PH1, PH2
□ □□□□ : 1 * □□□□ □ □□, 1 * □□□□ □
□ □□ : □□□□ □□
□ □□ □□ : 157 * 166mm
□ G.W. : 3kg / □□

PRODUCT DETAILS



PRODUCT SIZE



PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

WEIGHT:323G



FRONT



BACK