Features

- 1. [ESD PPS] [] [] []
- 3:0000,000000,0000
- 4 : PCB [[] [] , [] [] [] [] , [] [] , Beaty [] [] [] [] []

- 1. 00, 0, 000 0 00 000 00 000.
- 2. 00000 00 00
- 3. 00, 00, 00 000

ESD [][] [] [] []

- $1. \,\, 00 \,\, 00 \,\, 00 \,\, 000 \,\, 00000000$
- 2. 0000 000
- 3. 🔲 🔲 260 ° C
- 4. 200 ~ 240 ° C

000 5. 000 00.

6. 0000 00 000 00 000.

Specification 🔏

0000:	00000 0(00 0 000
00:	BST-259A
<u></u>	00000 00 00 + PPS ESD 0000 00
□□:	
00 00 :	
	□□ HRC40 ° (□□), □□□ □□□□ (□□)
□□:	129mm
	27.9g ([[[[]]])
00:	17pcs
00 / 00 :	554g
000 00 :	204 * 163 * 45mm([] * [] * H)
000 00 :	52 * 42 * 34cm([] * [] * H)
000 00 :	18kg



















Pack



Details



Using high-precision equipment, laser type



4 screw fix head,robust and easy replacement



Head use high-strength, anti
-static PPS plastic
When two tip are folded,
smooth seamless

ABOUT US



Shenzhen Jinliyang Technology Co., Ltd is a professional large-scale manufacturer of Power bank and repairing tools for communication products.

With 20 years abundant experience in manufacturing and wholesale industry, we have set up subsidiary companies one by one in some cities in China and built up a complete sales network. Depending on quality products and the tenet of honesty and credit, we have established good long term cooperation with customers all over the world. Our brands "BEST" and" SUYOU" have been know abroad, and CE and Rohs certificates of our products are approval.

"Sincerity oriented and credibility is the first" is our service tenet.



































Production workshop

