

信思特 BST-936B 防静电 无铅

LEAD-FREE ANTISTATIC SOLDERING STATION



Lead-free



Exact temperature



Heat up quickly



Use safety

Product Usage



| | |
|---|----------------------------------|
| model | 936B |
| Dimensions | 114 * 140 * 77mm |
| Power consumption | 60W |
| Body weight | 1.95KG |
| High temperature resistant wire | Have |
| Input power voltage | 220VAC \pm 10% 50 / 60HZ |
| Temperature control range | 200-480 °C / 392 °F-896 °F |
| The output voltage | 24VAC |
| Setting method | Knob adjustment |
| Welding tip to ground impedance | <2 Ω |
| Welding nozzle to ground voltage | < 5mV |
| Temperature stability of soldering iron | \pm 1 °C |
| Heater | Imported ceramic heating element |
| Soldering iron | M-T-I mouth |

▼ CHARACTERISTICS

The soldering station has an anti-static design, which effectively protects SMD components and is powered by a low-voltage power supply. It can effectively protect the safety of sensitive devices and workers, smooth soldering and stable temperature.

PRODUCT INFORMATION



High temperature resistant PVC shell


Non-slip thermal insulation silicone protective sleeve


PRODUCT INFORMATION



High temperature resistant PVC shell

Non-slip thermal insulation silicone protective sleeve





Soldering iron stand Radiator

Soldering iron handle

Fever indicator


switch

Temperature adjustment knob

High temperature resistant sponge

Electric soldering iron interface

Temperature calibration



Soldering iron stand Radiator

Soldering iron handle

Fever indicator

switch

Temperature adjustment knob

High temperature resistant sponge

Electric soldering iron interface

Temperature calibration



positive



side



bottom



back

Heat up quickly
Easy soldering





BESTOOL



Patch soldering
solder joints are sturdy



Large transformer
power is bigger
fast speed




Imported ceramic heating core
high temperature resistance and long life

OTHER SUPPLIERS



Jack welding
solder joints are easy to loose
machine failure frequency is high




Small transformer
low power
slow output



Inferior heating core
short life

Product List



Soldering iron stand



BST-936B main unit



Soldering iron handle



Manual

G.W.:1.95KG

