


材料

1	銅板 100mm x 100mm x 0.5mm
2	銅板 500 ° C 100mm x 100mm
3	銅板 100mm x 100mm x 0.5mm
4	銅板 100mm x 100mm x 0.5mm
5	銅板 100mm x 100mm x 0.5mm
6	銅板 100mm x 100mm x 0.5mm / PCB 100mm x 100mm x 0.5mm
7	銅板 100mm x 100mm x 0.5mm

工具

銅板	銅板 100mm x 100mm x 0.5mm
銅板	銅板 100mm x 100mm x 0.5mm
銅板	銅板 100mm x 100mm x 0.5mm
銅板 100mm x 100mm x 0.5mm	銅板 45m * 30 * 0.7cm
銅板	銅板 100mm x 100mm x 0.5mm
銅板	銅板 100mm x 100mm x 0.5mm
銅板	銅板 100mm x 100mm x 0.5mm

# HIGH TEMPERATURE RESISTANT SILICA GEL WORKING PAD



Heat resistance



Soft silicone




Magnet adsorption



anti-static

## Product Usage



MATERIAL	Soft silicone
BRAND	BESTOOL
PRODUCT NAME	Working Pad
SIZE	450mm X 300mm
TYPE	Magnetic adsorption Heat resistance anti-static

### ▼ CHARACTERISTICS

This product is used for IC products repairing (suitable for some models). It is made of high-quality silicone insulation for high temperature resistance. With 4.0mm thickness, it has several card slots for placing various tools. The storage groove has magnetic adsorption, where small screws can be placed to prevent loss.

---

## HIGH QUALITY SILICA GEL

### SOFTNESS AND HIGH ELASTICITY

GOOD PRODUCTS ARE MORE THAN JUST  
EXCELLENT CRAFTSMANSHIP,  
BUT THE REAL CORE IS  
SELECTION OF EXQUISITE MATERIALS.



it is designed for placing motherboard,  
very stable to hold the motherboard, makes the operation more convenient.





Magnetic adsorption



Heat resistance



① SCREWDRIVER HEAD STORAGE

② COVER STORAGE BOX

③ SCREWS PLUS MAGNETIC ZONE

④ SCREW POSITION


⑤ MOTHERBOARD GROOVE

⑥ SCREWDRIVER PLACEMENT AREA

⑦ TOOL PLACEMENT AREA

⑧ MEASURING RULER

## PRODUCT SIZE



Thin to 4.00mm

It can resist 500°C high temperature

