



□□ : BST-9909

□□ □□ : 1.5, □ 0.8, y0.6;

□□ □□□ □□;

□□ □□ □□;

□□ □□□ □□;

□□ □□□ **0.35-0.55kgf.cm**□□□

1□ 0.35kgf.cm□ □□□□□

5□ 0.55kgf.cm□ □□□□□

□□□

□□ \* 1pc

□□□□ □□ : 1.5, □ 0.8, y0.6;

□□\*1pc

# Adjustable Torque Screwdriver Set

BST-9909



Precision Screwdriver Handle

# Product display



Noise reduction bearing



Aluminium alloy

Anti-skid texture



# Embossed antiskid design

---

Anti-slip aluminum handle for comfort holding




# Adjustable Torque

---

When the torque exceeds The Pre-set Value, the handle will emit a prompt sound and automatically idle to prevent excessive force from damaging the screw or your phone



0.35Kgf  0.55Kgf

---

**Adjustable Torque Range**

# 360° Rotation Cover

---

Built-in bearing of head cover, better concentricity, smoother rotation and more labor-saving operation





**Adjustable Torque**



**No Damage**



**High Hardness**



**S2 Steel**



**Magnetic**



**Anti Slip Carving**

Model	BST-9909	Bit Magnetism	With magnetism
Type	Adjustable torque	Contains	Handle*1+Bits*3
Torque Range	0.35-0.55kgf.cm		+Magnetizer*1
Handle Size	34*121mm	Package Size	130*70*20mm
Bits Material	S2	N. W.	45g
Handle Material	Aluminum alloy	G. W.	65g

Bits Size	H4mm×40mm
	⊕ 1.5    ★ 0.8    ♻ 0.6

# Package Size



□□□ :

iPhone/MacBook □□ · □□ □□ · PCB □ □□ · □□ □□ □□ · □□ □□ □□

#BESTTOOLS #TORQUESCREWDRIVER #ElectronicsRepair #PhonerePair  
#PrecisionTools #BST-9909