

Features

1. Cr-V 鋼製 切削性能 優越 加工 容易 加工 精度 高.
2. 鋼材 鋼種 鋼質 鋼質 HRC54-62
3. 鋼材 鋼種 鋼質 鋼質 2 種 PVC 鋼材
4. 4.5 寸 鋼材
5. CE 鋼材 鋼材 鋼材

Specification

鋼種:	BEST-4 鋼材 鋼材 鋼材
鋼種:	Cr-V 鋼材 + PVC 鋼材 鋼材
鋼質:	鋼材 鋼材 鋼材 42-50HRC 鋼材 鋼材 鋼材 54-62HRC
鋼材 鋼材:	鋼材
鋼材:	135mm
鋼材:	12pcs / 鋼材
N.W.	101g / pc
G.W .:	1.42kg / 鋼材

Application

鋼材 鋼材 鋼材 鋼材 鋼材, 鋼材 鋼材, 鋼材 鋼材, 鋼材 鋼材, 鋼材 鋼材 鋼材 鋼材 鋼材 鋼材 鋼材 鋼材.

- 鋼材 鋼材 鋼材 鋼材 鋼材.
- IC 鋼材 鋼材 鋼材 鋼材 鋼材
- 鋼材 鋼材.
- 鋼材 鋼材 鋼材 鋼材 鋼材 鋼材.
- 鋼材 鋼材 鋼材.
- D.I.Y 鋼材 % s 鋼材 鋼材 鋼材.

PRODUCT DISPLAY



PRODUCT SIZE

Material:high quality alloy steel(60CR-V)

Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire Φ 1.5mm

soft copper wire,aluminum wire Φ 0.1-2.0mm




PRODUCT DETAILS



Front



Back side



User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING


WEIGHT:82G



180MM

FRONT

75MM



BACK