



በጣም ጥንቃቄ በሆነ መንገድ ለሕግ ማስፈጸም ለሚችሉ ሰራተኛዎች ማስቀመጥ ይቻላል፡፡

□□ □ □□□□ 320mm * 465mm * 6mm□□, □□□, □□□, □□ □□, □□ □□ □□□ □□□□□. □□ □ □□, □□, □□ □ □□□ □□ □ □□□□. □ □□□, □□□ □□□□□ □ □□□ □□ □□ □□ □□ □□□□ □□ □ □□□ □□□ □□.

00000 0 0000, 000 000000 0 00 00 00 00 00000 00 0 0000 0000 00
 00 0000 00 0000 00 00, 00 00 00 00000 00000 00 00 00000 00 0000, 0000 00 0 00 0000 MSDS 000000. 00 00 0000
 00000 00 00.00 00, 00 00 0 0000 00000 00000 00 00 00 0000 000000.

[illegible]

320mm * 465mm * 6mm U 400-500


00 00 000 00 000 00 000, 00 000 00 00 00, 00 00 A 0 00 00 B0 000000. 00 00 000 000 000 000 00 0 00 00
 0 000000.

_____, _____.

PRODUCT DISPLAY



PRODUCT SIZE



PRODUCT DETAILS



Unscrew the screw can be broken down into three parts
Material: aluminum alloy






A variety of screws to prevent loss
Material: aluminum alloy



High temperature
resistant silica gel pad

PRODUCT PHOTOGRAPH





PRODUCT PACKAGING

WEIGHT:3.8KG

