

Features

鋼絲 鋼絲 鋼絲 / 鋼絲

1. 鋼絲 鋼絲 鋼絲 precisinblabe 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲.
2. 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲.
- 鋼絲 鋼絲 (鋼絲) 鋼絲 鋼絲 鋼絲 鋼絲.
3. 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲.

Application

鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲, 鋼絲 鋼絲, 鋼絲 鋼絲over 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲.

1. 鋼絲 鋼絲 鋼絲 鋼絲
- 2.IC 鋼絲 鋼絲 鋼絲 鋼絲
3. 鋼絲 鋼絲 鋼絲.
4. 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲.
5. 鋼絲 鋼絲 鋼絲.
6. D.I.Y 鋼絲 鋼絲 鋼絲 鋼絲.

Specification

鋼絲	鋼絲 鋼絲 鋼絲
鋼絲	60 # 鋼絲
鋼絲	鋼絲 鋼絲, 鋼絲 鋼絲, 鋼絲 鋼絲 鋼絲
鋼絲 鋼絲	鋼絲
鋼絲 鋼絲	PVC
鋼絲	鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲.
鋼絲	鋼絲 鋼絲 + 鋼絲 鋼絲
鋼絲 鋼絲	OEM, ODM, 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲 鋼絲
鋼絲 鋼絲	鋼絲 鋼絲 鋼絲 鋼絲 鋼絲.

PRODUCT DISPLAY



PRODUCT SIZE




PRODUCT DETAILS



Front



Back side



User manual



Warning

This model is not insulated tools. Please use it when power off.



Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH




PRODUCT PACKAGING

WEIGHT:80G



218MM

FRONT



95MM

BACK