


00 00

- 1 000 00 0 0000 (0 ~ 36cm), 124 00 00 00 0 0000 00 3 0 00 00, 18 00 0000 00000 00000 00000.
- 2 0000 0000 0000000 0000.
- 3 0000 00 0000 0000 00 0000 0000 00 00 0 0 00000.
- 4 Anti-Slip 0 Anti-static 0000, 00 0 00 00 anti-slip 00000 00000 00000.
- 5 0000 00 00 00 00 00 00 0 0000 0000000 00000 00000.

HIGH TEMPERATURE RESISTANT SILICA GEL WORKING PAD



Heat resistance



Soft silicone




Magnet adsorption



anti-static

Product Usage



MATERIAL	Soft silicone
BRAND	BESTOOL
PRODUCT NAME	Working Pad
SIZE	480mm X 318mm
TYPE	Magnetic adsorption Heat resistance anti-static

▼ CHARACTERISTICS

This product is used for IC products repairing (suitable for some models). It is made of high-quality silicone insulation for high temperature resistance. With 4.0mm thickness, it has several card slots for placing various tools. The storage groove has magnetic adsorption, where small screws can be placed to prevent loss.

HIGH QUALITY SILICA GEL

SOFTNESS AND HIGH ELASTICITY

GOOD PRODUCTS ARE MORE THAN JUST
EXCELLENT CRAFTSMANSHIP,
BUT THE REAL CORE IS
SELECTION OF EXQUISITE MATERIALS.




it is designed for placing motherboard,
very stable to hold the motherboard, makes the operation more convenient.



Magnetic adsorption



Heat resistance



① SCREWDRIVER HEAD STORAGE

② COVER STORAGE BOX

③ SCREWS PLUS MAGNETIC ZONE

④ SCREW POSITION


⑤ MOTHERBOARD GROOVE

⑥ SCREWDRIVER PLACEMENT AREA

⑦ TOOL PLACEMENT AREA

⑧ MEASURING RULER

PRODUCT SIZE



Thin to 4.00mm

It can resist 500°C high temperature

