

Features

SA-10 6 〇 〇〇〇 〇〇 〇〇 〇〇

- 〇〇〇 : 〇〇〇〇 〇〇 〇〇 〇〇〇 〇〇
- 〇〇〇〇〇 : 〇〇〇 〇〇 〇〇 〇〇〇 〇〇〇〇〇〇
- 〇 : PCB 〇〇〇 〇〇
- 〇〇 : 〇〇 〇〇 〇 〇 〇〇
- 〇〇 : 22swg 〇〇 〇〇〇〇 〇〇〇〇〇. 〇 〇〇 〇 〇〇 〇〇 〇
- 〇〇〇〇 : 〇〇 〇 〇〇

Description




Name:	6 Sets to help welding tools	Model:	BST-SA-10
Brands:	BEST	Material:	With no magnetic
Size:	185mm	Weight:	85g
Feature1:	For machine repair, assembling, dismantling components, grinding, cleaning, and designed for tin		
Feature2:	Will of pressure, drilling, welding repair when pry, poke, cut, blow, hook, pull, roof, Brush... 12 kinds of demand centres in the six auxiliary too		
Feature3:	Used to install and repair circuit board, which are widely used in the welding of printed circuit board (PCB) assembly and repair work		

Size




BST-SA-10: Fork




Fixed or adjust the components of the pins and connectors

BST-SA-10: Knife




and




You can cut the copper connection on the printed circuit board

BST-SA-10: Hook and Fork






and



You can hook up components of the pins and wires.


Fixed or adjust the components of the pins and connectors

BST-SA-10: Brush




Before soldering, you can Clean dust and residue on the components

BST-SA-10: Chip Hold



Small electronic components compaction, positioning after soldering circular element, element corresponding to the pressure head at ordinary times

BST-SA-10: Awl



Clean or expanded pad holes

Picture

Positive



Side



Local



Local

