

Features

1. 鋼質 鋼 鋼質 鋼質 鋼質 鋼質, 鋼質 鋼 鋼;
2. 鋼, 鋼質, 鋼 鋼質 鋼質 鋼質 鋼質 鋼質.
3. 鋼質 鋼 鋼質. 鋼質 鋼 鋼 鋼質 鋼 鋼質 鋼質.
4. 鋼 鋼質, 鋼質 鋼質, & 鋼 鋼.
5. 鋼質 鋼質 鋼質 鋼 鋼 鋼質 鋼 鋼質.
6. 鋼 鋼, 鋼 鋼, 鋼 鋼, 鋼 鋼, 鋼質 鋼 鋼質 鋼質 鋼 鋼質.

Specification


鋼:	鋼 鋼
鋼:	BST-36A
鋼:	302 鋼質 鋼
鋼:	鋼
鋼 鋼:	鋼質 鋼 鋼
鋼 鋼:	& gt; HRC40 °
鋼:	118mm
鋼:	28.5g (鋼質 鋼)
鋼:	20pcs /鋼
鋼 鋼:	620g
鋼 鋼:	204 * 163 * 45mm(L * W * H)
鋼 鋼:	52 * 42 * 34cm(L * W * H)
鋼 鋼:	19kg / carton

PRODUCT DISPLAY



BST-36A

PRODUCT SIZE



PRODUCT DETAILS



PRODUCT FEATURES





Catelogy:Matte Tweezer

Model: best-36A

Material:302 stainless steel

Brand:BEST

Magnetism:Non

Strength:>4RC40°

Feature1:Anti-magnetic,anti-acid,hard,excellent toughness

Feature2:Polished an sandblasted matte treatment

Feature3:Side handle is proished ,easy to use

Feature4: Suitable for PCB semiconductor ,photovoltaicand other

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

