

## Features

1. Smart □, □□ □□ □□.
2. ZFP, SOP, PLCC, SQJ □ □□ □□ □□ □□ □□ □ □□ □□□□□.
3. □□□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□□□□.
4. □□□□ □□□ □□□□ □□ □□ □□□.

## Specification

□□□ □□□ □□	
□□ □□:	AC 220V / 110V ± 10 % 50Hz / 60Hz
□□ □□:	650 □W ± 10%
□□ □□:	100 ° C~ ~480 ° C
□□ □□:	□□□□□ □ / □□□□□ □□
□□ □□:	120L / □□□)
□□ □□□:	± 2 ° C (□□ □□)
□□ □□:	□□□□
□□□□□:	LED □□□ □□□□□
□□ □□ □□:	□□□□
□□:	□□ 45dB
□□ □□:	□□ 5mm 8mm 10mm
□□ □□□:	□□□□ □□
□□ □□	
□□:	1.75□□□□
□□ □□:	26 * 16.5 * 14.8□□□□
□□ □□:	53.5 * 34 * 47.5□□□□
□□ □:	12 □□
□□ □□:	22□□□□
□□ □□:	□□ 3 □□ □□, □□ □□, □□, □□ □□ □□

PRODUCT DISPLAY



PRODUCT SIZE



## PRODUCT DETAILS



## PRODUCT FEATURES



Front




Behind

Name: Lead screw type hot air gun


Features2: Brushless fan with long lifetime, low noise

Features3: Adjustable airflow, large and soft airflow, easy adjustment of temperature, suitable for multiple usages  
Features4: Automatic cooling function of the system will prolong the life of heating element, and protect the hot air gun.



Internal structure

High-quality heating body warming fast  
Ni-Cr alloy heating core, fast heating,  
high temperature, long life, real material



### PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

WEIGHT:1.7KG

