

□□□

1. □ □□□□□□ □□□ □□
- 2.3 □ □□ : □□, □□ □ □□ □
3. □□ □□ □ OEM □□ □□

□□ □□ □ □□□

1. □ □□□□□□ □□□ □□
- 2.3 □ □□ : □□, □□ □ □□ □
3. □□ □□ □ OEM □□ □□

□□□ □□□ □□□ □ □ □□?

□□ □□□□□ 1.Many □□ □□□

2. □□ □□, □□□ □□□□□ □□ □□ □□
3. □□□□□□ □□ □□□□


□ □□□ □□ □□□□?

1. □□□ □□ □□ □□ □□□ □□□ □ □□ □□□□□□.
- □□□□ □□□□ □□□ □□□ □□ □ □ □□□□.
2. □□□ □□ □□□ □□ □□ □□□□ □□□□□□ □□□□.
3. □□□ □□□□ □□□ □□ □ □□□ □□□ □□.


PRODUCT DISPLAY




PRODUCT SIZE



PRODUCT DETAILS





Applications: electronic circuit boards, home maintenance

Features: 1, the product uses high-tech all-metal aluminum material, high temperature, long service life
2, thread design, not slippery hand, heat-resistant Teflon nozzle, light and beautiful appearance.

Use: press the putter until you hear "Cha Cha" sound so far, the nozzle will have been used to iron soldering the solder joints, press the button to remove the solder.

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

WEIGHT: 113G



FRONT



BACK