

Features

1.Be. 250-350 °C working. Then

250-350 °C working. Otherwise 250-350 °C working.

3.Please working. Then

4.BEST 5 10

Specification

900M-TB 900M-T-0.8D 900M-T-1.2D 900M-T-1.6D 900M-T-2.4D 900M-T1C 900M-T-2C 900M-T-3C 900M-T-4C 900M - TK 900M-TI 900M-T-IS

Description




Name:	Welding head	Model:	900M-T-1.2D
Brands:	BEST	Specification:	1.2D
Size:	41mm	Weight:	73.5g
Material:	Copper, iron, nickel and chromium		
Feature1:	Oxygen-free copper material imported raw materials, thermal fast		
Feature2:	Up and down the tin and smooth, stable performance after welding joints smooth, uniform		
Feature3:	Take the tin and smooth, life over 70,000 solder joints		
Feature4:	Overall use of special machinery and production process, the precise size		
Feature5:	Electroplating using advanced nanotechnology, with superior corrosion, oxidation resistance		

Size

No. 900M-T-1.2D

D型



ABOUT US

Shenzhen Jinliyang Technology Co., Ltd is a professional large-scale manufacturer of Power bank and repairing tools for communication products.

With 20 years abundant experience in manufacturing and wholesale industry, we have set up subsidiary companies one by one in some cities in China and built up a complete sales network. Depending on quality products and the tenet of honesty and credit, we have established good long term cooperation with customers all over the world. Our brands "BEST" and "SUYOU" have been know abroad, and CE and Rohs certificates of our products are approval.

"Sincerity oriented and credibility is the first" is our service tenet.

