

Features

1. 可 耐 用 性 强 CR-V 可 耐 PVC 可 耐 腐 蚀。 可 耐 easliy 可 耐 可 耐 可 耐。
2. 可 耐 可 耐。
3. T3, T4, T5, T6, T6, T8, T10, ph0, ph00, ph000, 可 耐 2.0, Pentalobe 0.8, 1.2, 1.5, 可 耐 5; 可 耐 - 可 耐 2.5, 3.5; 可 耐 可 耐 可 耐 可 耐 可 耐 可 耐。 OEM 可 耐 可 耐

Description



Name:	Disassemble tool	Model:	BST-8800C-B
Brands:	BEST	Material:	Cr-V
Size:	142mm	Weight:	39g
Specification:	★0.8 +1.5		
Feature1:	The handle is made of ABS material with high hardness, good stability, resistance to environmental change		
Feature2:	Carved stripes, beautiful, easy to draw the line and have non-slip		
Feature3:	Flexible rotating nut, effectively improve the efficiency of		
Feature4:	Batch mouth using high quality chrome vanadium steel, comprehensive capabilities superior strength and toughness		
Feature5:	Batch rod using high quality imported steel manufacturing, through the whole heat treatment, titanium plating, to ensure product quality		

Description



Size



ABOUT US

Shenzhen Jinliyang Technology Co., Ltd is a professional large-scale manufacturer of Power bank and repairing tools for communication products.

With 20 years abundant experience in manufacturing and wholesale industry, we have set up subsidiary companies one by one in some cities in China and built up a complete sales network. Depending on quality products and the tenet of honesty and credit, we have established good long term cooperation with customers all over the world. Our brands "BEST" and "SUYOU" have been know abroad, and CE and Rohs certificates of our products are approval.

"Sincerity oriented and credibility is the first" is our service tenet.

