Features

- 1. Voltage and current continuously are adjustable from zero to rated value.
- 2. This machine has perfect protection circuit, auto recovery funcion.
- 3. Can test voltage, check GSM mobile phone singal.
- 4. Two different current model can be chose.
- 5. Voltage and current are displayed at the same time.
- 6. upholds high precision and great stability.

Application

DC Power Supply is widely used in various environment such as institutions laboratories, aut omated test equipment, electronic test equipment, factory production line ect.

Specification /

Rated operating conditions	
Input Supply Voltage:	220V±10% 50Hz
Rated output voltage:	0~15V
Rated output current:	Max 1A
Rated output power:	15W
Meter display resolution:	2.5%
Ripple and Noise:	≤1mVRMS
Function:	Restore function, cutoff protection

Regulators work status		
Output Voltage:	0 ~ 15V continuously adjustable between	
Power stability:	≤0.01%+5mV	
Load stability:	≤0.01%+2mV	
Recovery time:	≤100us(Maximum current ≤ 3A)	
Steady flow of work sta	tus	
Output Current:	Continuously adjustable between $0 \sim 1A$	
Power stability:	≤0.2%+5mA	
Load stability:	≤0.2%+10mA	

Packing specifications	
Body weight:	1.3kg
The box size:	17.4* 9 * 15 cm
Packing size:	76*28.5*46cm
Packing:	20 sets
A carton weight:	28kg
Fitting:	A manual

Product show:





Product Name: DC power supply

Product Type: BST-1501T

Body weigh: 1.9kg

Dimensions: 205*140*200mm Widely used in factory production lines, schools, maintenance, commissioning, laboratories and

other places

Features introduced

- 1.Voltage:0-15V Current 0-1A;
- Total power foot, high stability and reliable quality;
- With short circuit protection, automatic recovery function;
- 4. With voltage test function,
- 5.GSM mobile phone signal can be detected;





