

## Product Description

Place of Origin: Shenzhen, China(Mainland)

Magnification: 7-45 times Continuous Zoom

Eyepiece: Wide field, adjustable diopter, WF10X/22mm, WF 16X/15mm

Objective:0.7-4.5 times objective lens

Stage: Double Layer Mechanical Sliding Stage, Triangle Iron Moving Up and Down

Product OverviewProduct Description





N.W	4.7kg
Objective lens	Continuous zoom 7x~45x
Eyepiece	Binocular wide angle WF10X
Power	220v-50hz, 110v-50/60hz
Transformer	Built-in 0-12v, continuous dimming
Light source on the lamp	12v/15w halogen lamp
Under light source	12v/15w halogen lamp
Eyepiece holder	45° inclination, 360° horizontal rotation 55-75mm pitch

## ▼ CHARACTERISTICS

The microscope is suitable for a wide range of scenarios. Use a fully coated eyepiece to increase light transmission. A pure copper objective ensures image stability. Adjustable binoculars for different distances.

Eyepiece	Standard configuration		Additional large objective					
			0.5X		1.5X		2X	
	Working distance100mm		Working distance165mm		Working distance45mm		Working distance30mm	
	Magnification	Field of view	Magnification	Field of view	Magnification	Field of view	Magnification	Field of view
10X/20	7X	28.6	3.5X	57.1	10.5X	19	14X	14.3
	45X	4.4	22.5X	8.9	67.5X	3	90X	2.2



Fully coated eyepiece  
for increased light transmission

# Suitable for various scenarios



LED halogen lamp



LED light adjustment knob


Pure copper objective to ensure  
image stability







ORIGINAL PHOTO





Adjustable binocular tube



## SHIPPING LIST



1.EYEPIECE PARTS

2. FOCUSING BRACKET

3.10/20X EYEPIECE X2

4. EYEPIECE COVER

5.THE RACK

6.INSTRUCTIONS

7.BLACK AND WHITE DOUBLE-SIDED MAT

8.THICK LARGE CARTON

9.THICKENED LARGE FOAM BOX