

HIGH TRANSMISSION


# Superconducting alligator clip



# Product Usage



<b>Model</b>	BST-010-JP
<b>Safety Ratings</b>	CAT III 2000V 20A
<b>Material</b>	The silicone + copper
<b>Wire length</b>	41inch / 104cm
<b>G.W.</b>	58.9g
<b>Package Size</b>	200*120mm



## Wire Specifications

### Conductor:

Specs	18AWG
Structure	168/0.08AS
Diameter	1.35MM
Length of lay	25MM

### Insulating layer:

Thickness	0.6MM
Diameter	2.6±0.05MM
Material	Silicone

### Covering layer:


Thickness	0.6MM
Diameter	3.8±0.1MM
Material	Silicone


# Heat resistant to cold

## Long service life




Alligator clip, big bite  
Thick spring, not fall off, not false





BST-010-JP



Poor quality clip wire

Non-oxidation / Long service life

Easy to oxidize / Short service life

Anti-freeze heat / Not easy to break

No antifreeze heat/easy to break

Good conductivity

Breakable / Not cold and heat resistant

No fever / Not hot / The use of safe

It gets hot easily / Safety hazard



Fully insulated silica gel,  
No leakage



Environment-friendly soft silica gel



Not easy to break, good toughness



Fast transmission, steady current,  
168 copper wire







# Product List



G.W.:58.9g



200mm

120mm