

BST-2515A Solder Wick Remover Desoldering Braid Wire Sucker Cable Fluxed Flux

Product Description

Type:100%brand new

Length:1.5mm

Width:2.0mm

Coated with ultra high purity water white rosin flux.

Excellent thermal transfer for faster,safer desoldering using lower temperature irons.

To use:Place the solder wick over the area to be desoldered,apply your hot soldering iron and the solder will be soaked up into the braid, repeat with a fresh area of braid until the joint is free from excess solder.


Features:

- 1.High quality alloy copper wire from the precision weaving.
- 2.For the removal of tin in the excess solder, resistance to oxidation and corrosion.
- 3.Thermal conductivity, tin effect is very good, tin suction clean□Low residu.
- 4.Suitable for precision circuit using.

PRODUCT DISPLAY



PRODUCT SIZE



PRODUCT FEATURES



FRONT



BACK



Features:

1. High quality alloy copper wire from the precision weaving.
2. For the removal of tin in the excess solder, resistance to oxidation and corrosion.
3. Thermal conductivity, tin effect is very good, tin suction clean. Low residue.
4. Suitable for precision circuit using.

PRODUCT PHOTOGRAPH

WELGHT:8.5G

LENGTH:1.5M
WIDTH:1.5MM





