

BST-495 3 layer filter Exhaust Industrial Purifing Instrument Soldering Smoke Fume Extractor for Laser Separating Machine

Product Description

- 1. Quickly absorbs and remove the toxic gases released during welding.
- 2. Unique bace-laid air filter packs with minimum air resistance,higher suction power that ensures excellent working environment.

Specification

Power Input :	110V/220V
Motor Type:	Carbonless Brush
Material:	ABS plastic
Weight:	1.45Kg
Packing:	6sets a carton
Carton size:	53*28*62 cm
Carton weight(G.W.)	11kg

Product Overviews

Product Usage



MODEL	BST-495
POWER	150W
OUTPUT VOLTAGE	ac220v-110v
WEIGHT	12kg
BODY SIZE	37 * 34 * 54cm

▼ CHARACTERISTICS


This smoker has three layers of filter, which is used in various fields with too much smoke. The volume of smoke can be adjusted freely, the power is large, and the service life is long

ACTIVATED CARBON FILTRATION


WELDING PURIFICATION



APPLICABLE TO VARIOUS FIELDS



DC brushless motor, stable performance, long life



Brushless Motor



Eliminate smoke and odor



long life



Power saving

MULTI-LAYER FILTRATION



Filtering PM60



Filtering PM0.3



Filtering smoke



PRODUCT SIZE



Operation instructions

Turn on the power switch (such as P1), adjust the speed control knob to make the machine work according to the required air volume, and turn the knob to "off" to stop the machine, Turn to "on" position to start, turn to "Max" position to reach the maximum value (such as P2)




【P1】



【P2】

FILTER INSTALLATION INSTRUCTIONS



ACCESSORIES DISPLAY



① Fuselage



② 1.45M smoke pipe



③ Power line



④ high efficiency filter element



⑤ medium efficiency filter element



⑥ primary filter cotton