Name: Mini Heating Platform

Model:VB-215A

Temp. Range: 160~250°C

N.W.: 90.4g

Work area 20\*18.5mm

Product size: 70.5x76.7x21.6mm

Application: Suitable for 99% of chips on the market, universal for removing glue and tin from

various types of iphones, huawei and other mobile phone CPU



# Mini Heating Platform

160°C~250°C Adjustable

No need for heat gun or soldering iron heating, no need for soldering wick


No damage to solder pads and paint



# No need for Soldering Wick



After heating to the set temperature, use a cotton swab to clean up the residual tin. No damage to the solder pad paint, no need for soldering wick wiping to wear out the chip




# **Heating to remove tin**



Turn on the heating platform and heating to the preset temperature, you can use a brush or cotton swab to remove residual tin without soldering wick.

Gently wipe to remove tin and glue easily.






# **Low Voltage Heating Plate** Fast heating, no leakage, anti-static, safer heating Built in professional tuning curve, no need to worry about chip damage caused by thermal stress

### Flexible hidden screw rod



Hidden screw rod, flexible and clever, extendable and fixed clamping the chips


Prevent residue from falling into the screw, making it more durable



# **Uniform Heating**



No need for heat gun heating, it is safer to scrape glue at a temperature 100 °C lower than the heat gun No need to repeatedly scrape with a soldering iron, no damage to the solder pads






# Suitable for 99% of chips



Work area: 20mm×18.5mm (Max)
Support multi generation iPh, Huawei phone CPU chips and hard drives



# **Parameter**



| Name<br>Mini Heating Platfor | Model<br>m VB-215A | Temp. Range<br>160~250℃  |
|------------------------------|--------------------|--|
| N. W.                        | Work area          | Product Size   |
| 90.4g                        | 20×18.5mm          | 70.5×76.7×21.6mm   |
| Application                  |                    | on the market, universal for<br>m various types of iPhones,<br>phone CPU |

\* The above dimensions are measured manually and may have about 1-2mm error