

HIGH TRANSMISSION


Alligator clips test leads



Product Usage



Model	BST-010-JP
Safety Ratings	CAT III 2000V 20A
Material	silicone + copper
Wire length	41inch / 104cm
G.W.	58.9g
Package Size	200*120mm



Wire Specifications

Conductor:

Specs	18AWG
Structure	168/0.08AS
Diameter	1.35MM
Length of lay	25MM

Insulating layer:

Thickness	0.6MM
Diameter	2.6±0.05MM
Material	Silicone


Covering layer:


Thickness	0.6MM
Diameter	3.8±0.1MM
Material	Silicone

resistant to both heat and cold
Long service life



Alligator clip, Strong bite force
The spring in bold, Not easy to fall off, Welding is firm





BST-010-JP



Poor quality clip wire

Non-oxidation / Long service life

Easy to oxidize / Short service life

Anti-freezing and anti-heat / Not easy to break

Not freeze-proof and heat-proof/easy to break

Good conductivity

Poor conductivity

It doesn't get hot/ Not hot / Safe usage

Easy to get hot/Safety hazard



Insulating silicone,
Won't leak



Environment-friendly soft silicone



Not easy to break, good toughness



Fast transmission, steady current,
168pcs of copper wire



Product List

Soft Silicone-- heat and cold resistance



G.W.:58.9g



200mm

120mm