

BEST-898D 2 em 1 display de LED de ar quente estação de retrabalho BGA

Descrição do Produto

1. Conveniente dispositivo portátil portátil e display digital LED.
2. Controle do microcomputador, aquecimento rápido.
3. Ajuste a rotação do fluxo de ar e temperatura.
4. Consulte as instruções fornecidas com as peças de reposição dos três bicos (grande, médio e pequeno).
5. Se o valor da resistência não estiver correto, a peça será substituída.
6. Quando a temperatura estiver abaixo de 70 ° C, a rotação pode ser interrompida automaticamente.
7. Sistema inteligente, alarme automático, detecção de falhas.
8. Este produto tem proteção contra ESD.
9. Alta qualidade e resistência duradoura
10. O invólucro exterior é feito de material de liga e parece bom.
11. Prenda o soldador QFP, PLCC, BGA e outros componentes sensíveis ao calor.
12. Detecção inteligente e função de ar frio.
13. Linhas verdes e calor corporal de silicone de alta qualidade ajudam a prolongar a vida útil e economizar eletricidade.

A embalagem inclui


898D, 5, 8, bocal da arma do vento de 10mm, frame do soldador, cabo de potência, aperto da pistola de ar, punho do soldador, chave, acionador de partida

2 in 1 digital display lead-free helical wind hot air soldering station

Appliance Repair



Board soldering



Phone Repair



Heat shrinkable tube



PRODUCT SIZE




PRODUCT DETAILS





PRODUCT FEATURES



Brand:		Name:	2 in 1 digital heat gun rework station	
Model:	BST-898D	Rated voltage:	AC 110/220V 50/60HZ	
Rated power:	700W	Airflow:	120L/min (Max)	
Air gun temperature range:		100 ° C - 450 ° C		
Soldering iron temperature range:		200 ° C - 480 ° C		
Weight(including packaging):	2.75KG	Size:	Packing:	L265*W170*H145mm
			Machine:	L98*W140*H132mm
Accessories:	898D, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter			
Features:	1. LED air gun temperature display and soldering iron temperature display, temperature is accurate and stable, clearly visible			
	2. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly.			
	3. High power, fast heating, anti-static, temperature adjustable			




Two LED screen displays

The temperature is accurate and stable,
clearly visible

Rapid temperature rise
durable Intelligent, put back on the
bracket to automatically cool down



Pure copper transformer





PRODUCT PACKAGING

 <p>Package: 265*170*145mm</p>	 <p>BST-898D</p>	 <p>Power cable</p>
 <p>Soldering Iron frame</p>	 <p>Soldering Iron</p>	<p>Starter </p> <p>Wrench </p> <p>Wind gun nozzle 5, 8, 10mm </p>