APPLICABLE TO A VARIETY OF MOBILE PHONE TYPES
Rotary Phone Screen Separator
Multi-purpose machine Detachable mobile phone with straight screen / curved screen / frame removal / frame / conventional separation
B-918B
SUCTION SWITCH
B-918B

360° free rotation

Built-in high-precision bearing, rotation without dead angle



Built-in dual air pump

The heating panel adopts one-piece molding process
Groove seal design, with double pump, stronger suction

< img src="https://cdn.b2b.yjzw.net/files/96/img/2022/10/17/202210171455090169933.jpg" width="100%" />

The machine can be fixed for more stable use

There are metal sheets and screws on both
sides to fix the machine, making the operation more stable



Powerful suction cups to
easily disassemble the screen
Scope: 7-inch screen
B-918B
SUCTION SWITCH
ON
OFF
B-918B
<

img src="https://cdn.b2b.yjzw.net/files/96/img/2022/10/17/202210171455330155706.jpg" width="100%" />

Separator product analysis



INSTRUCTIONS

Press the "SET" button, the display number flashes to enter the temperature preset mode, press "▲"Or "▼" key to adjust the temperature up and down, preset the temperature and"SET" key to confirm.

Tips:

When setting the temperature of the machine, it is recommended that the temperature be preset to 80°C. Too high temperature may damage the screen.

Product details

BST-918B host, sealing strip

Open screen bracket,silicone pad

Power cord

Desktop Fixing Accessories