

Nome: ferramentas de remendo de fio de salto 3 em 1

Modelo: BST-66

Junta de solda de almofada: 2635 unidades/folha

Comprimento da agulha: 100mm

Diâmetro da ponta da agulha: 0,01 mm

Tamanho do pacote: 61*115*13mm

GW: 30,7g

Sharpness 0.01mm
Scraper needle Patch pad

Three-piece suit

PCB drop pad | Scrape, clear glue



Product Usage





Name	Three-piece pad + batch pin
Model	BST-66
Material	Handle: ABS Needle: stainless steel
Needle length	100mm
Needle tip diameter	0.01mm
Pad solder joint	2635 pcs/sheet
Land size	48 * 67mm
Package dimensions	61 * 115 * 13mm
G.W.	30.7g

.....


Variety of solder tab shapes, many different specifications




Can adapt to different sizes of welding chassis on mobile phone motherboards



Needle tip diameter up to 0.01 mm
Can adapt to occasions requiring fine operation



Product Pictures



Application atmosphere



Remove residual glue


Repair point

Leather opening

Deep cleaning

Deep cleaning

Patchwork turn corner




OPERATION



Replace the traditional maintenance fly line

No trace of repair

Before repair → After repair



Product Dimension

G.W.:30.7g

