

Marca: MELHOR **Modelo:** BST-938 **Peso:**4,15 kg

Nome do Produto: Máquina de fumaça de estação de solda de temperatura inteligente

Acessórios: BST938 \ Solda de ferro \ Solda de estrutura de ferro \ Limpeza de algodão \ Cabo de força

Tensão de entrada: 220v / 50 hz Tensão de saída: 24V Consumo de energia: 70 W

Faixa de controle de temperatura: 200 ~ 480 °C método de configuração: tecla para ajustar a estabilidade da temperatura: ± 1 grau (estático)

Modo de temperatura da escola: Simulação da calibração Temperatura ambiente máxima: 40 °C

Modo de exibição: LCD digital impedância de solo: & lt; 2 Voltagem para o solo: & lt; 5 mv


Características:

1. Com luz LED e absorvedor de fumaça, pode proteger o trabalhador de fumaça e fazer trabalho ávido.
2. Equipado com transformador de cobre puro, dissipação de calor durável e rápido.
3. sensor de circuito fechado, temperatura de controle do microcomputador, display LED, tornando-se ajustar a temperatura com precisão.
4. Display digital, claro e direto, fácil de manusear.
5. Importados materiais resistentes a altas temperaturas e tecnologia avançada torná-lo de boa qualidade e durável.
6. A utilização da fonte de alimentação CA de baixa tensão faz com que seja eletricidade estática, sem vazamento, sem interferência.
7. A faixa de temperatura de 200 °C -480 °C e controle de temperatura estável fazem com que aqueça rápida e precisamente.
8. A fonte de alimentação do aquecedor é completamente isolada da rede elétrica.
9. Parte do ferro está ligado à estação de controle de temperatura através da conexão de ar e a alta temperatura anti-estática
cabo de borracha de silicone (sílica gel).
10. Dividir design, fácil loja.



- ✓ Soldering wire is made of Sn, Pb and some chemical activators, which will produce some toxic gases and do harm to human beings, especially to lung and nerve.
- ✓ Digital constant temperature soldering station with smoke absorber can protect human beings from toxic gases by absorbing the smoke caused during soldering.
- ✓ Use of imported low noise and high performance motor.
- ✓ Easy to replace filter.
- ✓ Filter is made of foam plastic and activated carbon so it can absorb more and faster.
- ✓ The whole machine is made of ESD conductive material.

PRODUCT SIZE



PRODUCT DETAILS

LCD touch display

Easy temperature adjustment



Detachable smoking sponge

Easy to replace





Before turn on the power button, the heating button and fan button must be off.

When shutting down the machine, please turn off the heating button and fan button first, and then turn off the power button.



PRODUCT PHOTOGRAPH



Brand	 BEST 倍思特	Model	BST-938
Product Name	Intelligent temperature soldering station smoking machine		
Accessories	BST-938 \ Iron soldering \ Iron frame soldering \ Cleaning cotton \ Power cable\ Instruction manual		
Input Voltage	AC 220V±10% 50Hz	Output Voltage	AC 24V
Work Noise	≤45dB	Temp. Range	100°C~550°C
Temp. Stability	±1°C	Display Mode	LCD
Cal. Method	Analog calibration	Resistance to ground	<2Ω
Setting Mode:	Touch screen	Environment Temp.	40°C(MAX)
Voltage to ground	<5mV	Rated Power	145W
Weight	3.75KG	Box	4 sets

Features:

1. With LED light and smoke absorber, Smoking sponge removable, can protect worker from smoke and make work easier.
2. Equipped with pure copper transformer, durable and fast heat dissipation.
3. Closed circuit sensor, microcomputer control temperature, LED screen display making it adjust temperature precisely.
4. Digital display Touch screen operation, clear and direct, easy to handle.
5. Imported high temperature resistant materials and advanced technology make it good quality and durable.
6. Using of low voltage AC power supply makes it static electricity, no leakage, no interference.
7. Temperature range of 200°C-480°C and stable temperature control make it heat rapidly and precisely.
8. The power supply of heater is completely isolated from power grid.
9. Part of the iron is connected to the temperature control station through the air connection and the high temperature anti-static silicon rubber (silica gel) cable.
10. Split design, easy store.

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING



Package:400*220*220mm



BST-938

