

## Descrição do produto

1 O tapete adiciona régua de escala interna (0 ~ 36cm), posição de 124 parafusos e 3 caixas de peças de peça com tampa, 18 entalhes para facilitar seu trabalho.


2 é feito de silicone de alta qualidade

3 O tapete tem excelente desempenho de isolamento térmico, o ferro de solda pode soldar diretamente no tapete.

4 Design anti-derrapante e antiestático, tanto na superfície quanto no lado traseiro estão adotando o design antiderrapante.

5 É um produto ideal para soldagem de montagem eletrônica ou eletrônica e reparo de placas de circuito.

# HIGH TEMPERATURE RESISTANT SILICA GEL WORKING PAD



Heat resistance



Soft silicone




Magnet adsorption



anti-static

## Product Usage



|              |   |
|--------------|---|
| MATERIAL     | Soft silicone   |
| BRAND        | BESTOOL   |
| PRODUCT NAME | Working Pad   |
| SIZE         | 480mm X 318mm   |
| TYPE         | Magnetic adsorption<br>Heat resistance<br>anti-static |

### ▼ CHARACTERISTICS


This product is used for IC products repairing (suitable for some models). It is made of high-quality silicone insulation for high temperature resistance. With 4.0mm thickness, it has several card slots for placing various tools. The storage groove has magnetic adsorption, where small screws can be placed to prevent loss.

---

## HIGH QUALITY SILICA GEL

### SOFTNESS AND HIGH ELASTICITY

GOOD PRODUCTS ARE MORE THAN JUST  
EXCELLENT CRAFTSMANSHIP,  
BUT THE REAL CORE IS  
SELECTION OF EXQUISITE MATERIALS.




it is designed for placing motherboard,  
very stable to hold the motherboard, makes the operation more convenient.



Magnetic adsorption



Heat resistance



① SCREWDRIVER HEAD STORAGE

② COVER STORAGE BOX

③ SCREWS PLUS MAGNETIC ZONE

④ SCREW POSITION


⑤ MOTHERBOARD GROOVE

⑥ SCREWDRIVER PLACEMENT AREA

⑦ TOOL PLACEMENT AREA

⑧ MEASURING RULER

**PRODUCT SIZE**



Thin to 4.00mm

It can resist 500°C high temperature

