Accessory parameters





Brushless Motor Industrial electric hammer

- Electric drill
- Electric hammer
- Electric pickCalibration





Six core upgrades



Brushless Motor



Quenching gear



Three function switching



Steering adjustment



Stepless speed regulation



Large lithium battery



Can be applied to various venues









WHY CHOOSE US

- 65% increase in output power
 - Energy loss reduced by 40%

528TV Brushless Motor



Other brushed motors



High torque, no sparks

Low torque, will spit fire


Low energy consumption low interference

High energy consumption high interference

Maintenance-free long service life

Replace carbon brushes frequently

Short life span



SDS fast clamping


Fast replacement, strong clamping capacity







Show details



0

Flexible all-inclusive soft rubber shock absorption and non-slip

0

Can be disassembled 360° rotating handle





0

Infinitely variable speed Steering adjustment



Three-dimensional cooling holes





Product parameters



Infinitely variable speed button

| C | ٥ |
|---|---|
| c | 2 |
| _ | S |
| = | 5 |
| - | Š |
| = | 5 |
| | • |

| Brand | BESTOOL | Model | 528TV |
|----------|-------------------------------------|-------------------|------------------|
| Torque | 28~35N | Use time | Idling 400min |
| Motor | Brushless Motor | Rotating speed | 0~980r/min |
| Features | Electric drill,Hammer,Electric pick | Hammer frequency | 0~6200 times/min |
| Battery | 15*2000mA lithium battery | Drilling diameter | 26mm |

*Manual measurement may have 1~2cm error



340mm

G.W.:6.6kg



Packaging display



