

Accessory parameters



φ 5



φ 4



φ 3



○ 10



○ 6.0



⊕ 6.0



⊕ 7.0



○ 10



○ 5 ○ 6 ○ 7 ○ 8 ○ 9 ○ 10 ○ 11 ○ 12 ○ 13



● 6.0



■ 7.5 ★ 5.5 ★ 3.5 ⊕ 6.0 ⊕ 5.0 ⊕ 6.0 ⊕ 5.0 ⊖ 6.0 ⊖ 5.0 ⊖ 4.0

(Unit: mm)



Multifunctional Industrial electric drill

25 gear adjustment





Eight core upgrades



25 gears
Torque adjustment



Three-jaw self-locking



Hardened gear



Impact function



Steering adjustment



Stepless speed regulation



Pure copper motor



Long use time



Can be applied to various venues






- High-power pure copper motor
- Powerful three-dimensional heat dissipation





Alloy forged steel gear

Secondary quenching, higher strength.





Two speed adjustment

one machine multi-function 25+3 torque



·1st gear low speed suitable for screwing

·2 speed high speed for drilling



Forward and reverse rotation can be switched at one touch

...

**LED lighting
can work in dark environment**

Forward

Reverse

The speed varies according to the press

Three functions easily switch



IMPACT



FLAT DRILL



START SCREW



Large capacity lithium battery

Can work for a long time



Configuration resolution



Turn the chuck counterclockwise to close



Turn the chuck clockwise to open



Product parameters

Brand	BESTOOL	Model	18V
Torque	28~35N·M	Gear	25+3
Motor	Pure copper motor	Rotating speed	0~1350r/min
Features	Impact, Flat drill, Start screw	Carbon brush	Integrated copper powder carbon brush
Battery	4*1500mA lithium battery	Clamping capacity	0.8mm~10mm

***Manual measurement may have 1~2cm error**



220mm

200mm

G.W.:2.05kg



Packaging display

