

BEST-858D 110 / 220V Паяльная станция LED Цифровая паяльная станция для припоя BGA Паяльная станция для пайки горячим воздухом

Описание товара


1. LED цифровой дисплей тепловая пушка 110V / 220V опционально
2. Контроль температуры 100 ° C-480 ° C
3. Бесщеточный воздуходувка и мягкий воздушный поток
- Цена 4. Factory, поставщик обеспечения торговли
5. Принять небольшой заказ и заказ OEM

использование

1. подходит для распайки нескольких компонентов, таких как SOIC, CHIP, QFP, PLCC и BGA и т. Д.
2. Применимо для усадки, нагрева, разрыхления, размораживания, предварительного нагрева и резиновой пайки и т. Д.

PRODUCT DISPLAY

Single-digit lead-free spiral heat gun



PRODUCT SIZE



PRODUCT DETAILS




PRODUCT FEATURES




Front



Behind

| | | | |
|------------------------------|--|-------------------|--|
| Brand: |  | Name: | Single-digit lead-free spiral heat gun |
| Model: | BST-858D | Rated voltage: | AC 110/220V 50/60HZ |
| Rated power: | 650W | Airflow: | 120L/min (Max) |
| Air gun temperature range: | | 100 ° C - 480 ° C | |
| Weight(including packaging): | 1.7KG | Size: | Packing: L265*W170*H145mm |
| | | | Machine: L100*W148*H133mm |
| Accessories: | 858D, wind gun nozzle 5, 8, 10 mm, power cord, air gun handle, wrench, starter | | |
| Features: | 1. High temperature resistant silicone wire | | |
| | 2. Imported ceramic heating core, the handle is made of high temperature resistant silicone wire. | | |
| | 3. LED air gun temperature display , temperature is accurate and stable, clearly visible | | |
| | 4. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly. | | |
| | 5. High power, fast heating, anti-static, temperature adjustable | | |

High-quality heating body warming fast
 Incoming ceramic heater, fast heating,
 high temperature, long life, real material



Rapid temperature rise
durable Intelligent, put back on the
bracket to automatically cool down




temperature resistant
silicone wire.



100°C~480°C

Pure copper transformer



PRODUCT PACKAGING



Package:
265*170*145mm



BST-858D



Power cable



Wind gun nozzle
5, 8, 10mm



Wrench



Starter