




# П а я л ь н о е о б о р у д о в а н и е

**М**  
**Я**  
**У**  
**И**  
**Ш**  
**А**  
**/**  
**О**  
**З**  
**Н**  
**Т**  
**С**  
**К**  
**С**  
**О**  
**Б**  
**Щ**  
**О**  
**К**

П р о т о к о л о в с е р и й н ы х з а н я т и й п о п р а м м ы с л о в н ы м у к о н с п е к т а к л у "С л о в о т о р о н о в а " п о с л е д н е м у з а н я т и ю

# 2 in 1 digital display lead-free helical wind hot air soldering station



## PRODUCT SIZE



## PRODUCT DETAILS






|                                   |                                                                                                                                                                    |                   |       |                                        |                  |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------|----------------------------------------|------------------|
| Brand:                            |                                                                                   | Name:             |       | 2 in 1 digital heat gun rework station |                  |
| Model:                            | BST-898D+                                                                                                                                                          | Rated voltage:    |       | AC 110/220V 50/60HZ                    |                  |
| Rated power:                      | 720W                                                                                                                                                               | Airflow:          |       | 120L/min (Max)                         |                  |
| Air gun temperature range:        |                                                                                                                                                                    | 100 ° C - 450 ° C |       |                                        |                  |
| Soldering iron temperature range: |                                                                                                                                                                    | 200 ° C - 480 ° C |       |                                        |                  |
| Weight(including packaging):      |                                                                                                                                                                    | 2.75KG            | Size: | Packing:                               | L265*W170*H145mm |
|                                   |                                                                                                                                                                    |                   |       | Machine:                               | L98*W140*H132mm  |
| Accessories:                      | 898D+, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter                                        |                   |       |                                        |                  |
| Features:                         | 1. 1. LED air gun temperature display and soldering iron temperature display, temperature is accurate and stable, clearly visible                                  |                   |       |                                        |                  |
|                                   | 2.Imported ceramic heating core, the handle is made of high temperature resistant silicone wire.                                                                   |                   |       |                                        |                  |
|                                   | 3. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly. |                   |       |                                        |                  |
|                                   | 4. High power, fast heating, anti-static, temperature adjustable                                                                                                   |                   |       |                                        |                  |

Rapid temperature rise  
durable Intelligent, put back on the  
bracket to automatically cool down



Pure copper transformer





## PRODUCT PACKAGING



Package:  
265\*170\*145mm



BST-898D+



Power cable



Soldering Iron frame



Soldering Iron



Starter



Wrench



Wind gun nozzle 5, 8, 10mm