

Описание продукта

Модель: BST-9908

Тип головы: 1,5, □ 0,8, T2, Y0,6, головка PIN 2.5;

Регулируемый крутящий момент;

На холостом ходу;

Анти скользящая ручка;

Заменяемые биты;

Диапазон крутящего момента составляет 0,3-0,55 кгф.см

1 соответствует 0,3KGF.CM

5 соответствует 0,55 кгф.см


Adjustable Torque Screwdriver Set

Handle*1+Bits*5

- Adjustable torque
- Idling prompt
- Anti slip handle
- Replaceable bits



Screw Bits



⊕ 1.5




★ 0.8



★ T2



Ⓜ 0.6



⊕ 2.5

Adjustable Torque



When the torque exceeds **The Pre-set Value**, the handle will emit a prompt sound and automatically idle to prevent excessive force from damaging the screw or your phone

The torque range is **0.3-0.55 kgf.cm**

1 corresponds to **0.3 kgf.cm**

5 corresponds to **0.55 kgf.cm**



Adjustable

Idling prompt

Labor saving

Product Details



Rotate and adjust torque

With 40 small scales,
1 corresponds to 0.3kgf.cm, 5 corresponds to 0.55kgf.cm



Anti slip handle

Anti slip design, increases
friction, beautiful and elegant



Rotatable tailcap

Rotating bearings, easy to operate,
improve work efficiency

S2-Steel Bits

With magnetism, fitting screws,
not easy to slip



Product Size



Specifications



Model	BST-9908	Bit Magnetism	With magnetism
Type	Adjustable torque	Contains	Handle*1+Bits*5
Torque Range	0.3-0.55 kgf.cm	Handle Size	14*105mm
Total Length	130mm	Package Size	84*160mm
Bits Material	S2	N. W.	43.6g
Handle Material	Aluminum alloy	G. W.	47.8g

Bits Size	H4mm×40mm				
	1.5	0.8	T2	0.6	2.5



Adjustable Torque



No Damage



High Hardness



S2 Steel



Magnetic



Anti Slip Carving

Идеально подходит для:

Ремонт iPhone/MacBook □ Watchmaking · Перевод PCB · Техническое обслуживание Drone · Techs Techs

#BestTools #Torquescrewdriver #electronicsRepair #phonerepair
#precisionTools #BST-9908